

## References

1. Beishuizen A, Thijs LG. Relative adrenal failure in intensive care: an identifiable problem requiring treatment? *Best Pract Res Clin Endocrinol Metab.* 2001 Dec;15(4):513-31
2. de Graaf JS, Dullaart RP, Zwierstra RP. Complications after bilateral adrenalectomy for phaeochromocytoma in multiple endocrine neoplasia type 2—a plea to conserve adrenal function. *Eur J Surg.* 1999 Sep;165(9):843-6
3. Moran JL, Chapman MJ, O'Fathartaigh MS, Peisach AR, Pannall PR, Leppard P. Hypocortisolaemia and adrenocortical responsiveness at onset of septic shock. *Intensive Care Med.* 1994 Aug;20(7):489-95
4. Aulinas A, Webb SM. Health-related quality of life in primary and secondary adrenal insufficiency. *Expert Rev Pharmacoecon Outcomes Res.* 2014 Dec;14(6):873-88.
5. Tiemensma J, Andela CD, Kaptein AA, Romijn JA, van der Mast RC, Biermasz NR, Pereira AM. Psychological morbidity and impaired quality of life in patients with stable treatment for primary adrenal insufficiency: cross-sectional study and review of the literature. *Eur J Endocrinol.* 2014 Aug;171(2):171-82
6. Meyer G, Hackemann A, Penna-Martinez M, Badenhoop K. What affects the quality of life in autoimmune Addison's disease? *Horm Metab Res.* 2013 Feb;45(2):92-5.
7. Riedel M, Wiese A, Schurmeyer TH, Brabant G. Quality of life in patients with Addison's disease: effects of different cortisol replacement modes. *Exp Clin Endocrinol.* 1993;101(2):106-11
8. Gallant C, Kenny P. Oral glucocorticoids and their complications. A review. *J Am Acad Dermatol.* 1986 Feb;14(2 Pt 1):161-77
9. Olafsson AS, Sigurjonsdottir HA. Increasing prevalence of addison disease: Results from a nationwide study. *Endocr Pract.* 2016 Jan;22(1):30-5 (hypothyroidism most sign. comorbidity)
10. García Pascual L, Simó Canonge R, Mesa Manteca J, Obiols Alfonso G, Segura García A, González Atienza J. [Addison's disease: a clinico-epidemiologic study of 45 cases]. *Rev Clin Esp.* 1990 Jun;187(2):49-52.
11. Hertoghe T, Naett M, Gerin G, Lhermitte MC, Poutet B, Schneider N, Bigeard G. High frequency of cortisol deficiency in an ambulatory setting for hormone therapy. Preliminary study, communication of 17 Oct. 2017
12. Zietz B, Hrach S, Scholmerich J, Straub RH. Differential age-related changes of hypothalamus - pituitary - adrenal axis hormones in healthy women and men - role of interleukin 6. *Exp Clin Endocrinol Diabetes.* 2001;109(2):93-10
13. Sharma M, Palacios-Bois J, Schwartz G, Iskandar H, Thakur M, Quirion R, Nair NP. Circadian rhythms of melatonin and cortisol in aging. *Biol Psychiatry.* 1989 Feb 1;25(3):305-1
14. Romanoff LP, Morris CW, Welch P, Rodriguez RM, Pincus G. The metabolism of cortisol 4-C14 in young and elderly men. 1. Secretion rate of cortisol and daily excretion of tetrahydrocortisol, allotetrahydrocortisol, tetrahydrocortisone, and cortalone (20 alpha and 20 beta). *J Clin Endocrinol Metab.* 1961;21:1413.
15. Morer-Fargas F, Nowakowski H. Die Testosteronanscheidung im harrn bei mannlichen individiren. *Acta Endocrinologica (Copenh).* 1965 ; 49 : 443-52
16. Magri F, Terenzi F, Ricciardi T, Fioravanti M, Solerte SB, Stabile M, Balza G, Gandini C, Villa M, Ferrari E. Association between changes in adrenal secretion and cerebral morphometric correlates in normal aging and senile dementia. *Dement Geriatr Cogn Disord.* 2000 Mar-Apr;11(2):90-9
17. Samuels LT. Factors affecting the metabolism and distribution of cortisol as measured by levels of 17 -hydroxycorticosteroids in blood. *Cancer.* 1957;10:746
18. West CD, Brown H, Simmons EL, Carter DB, Kumagai LF, Engelbert EL. Adrenocortical function and cortisol metabolism in old age. *J Clin Endocrinol Metab.* 1961;21:1197-207
19. Ferrari E, Cravello L, Muzzoni B, Casarotti D, Paltro M, Solerte SB, Fioravanti M, Cuzzoni G, Pontiggia B, Magri F. Age-related changes of the hypothalamic- pituitary-adrenal axis: pathophysiological correlates. *Eur J Endocrinol.* 2001 Apr;144(4):319-29
20. Rasmuson S, Andrew R, Näsman B, Seckl JR, Walker BR, Olsson T. Increased glucocorticoid production and altered cortisol metabolism in women with mild to moderate Alzheimer's disease. *Biol Psychiatry.* 2001 Mar 15;49(6):547-52 ↗
21. Hench PS, Kendall EC, Slocumb CH, Polley HF. The effects of the adrenal cortical hormone 17-hydroxy-11-dehydrocorticosterone (Compound E) on the acute phase of rheumatic fever; preliminary report. *Mayo Clin Proc.* 1949;24:277-97.
22. Hench PS, Kendall EC, Slocumb CH, Polley HF. The effect of a hormone of the adrenal cortex, cortisone (17-hydroxy-11-dehydrocorticosterone: compound E), and of pituitary adrenocorticotrophic hormone on rheumatoid arthritis and acute rheumatic fever. *Transactions Ass Am Physicians.* 1949 ; 62: 64-8.
23. Hench PS. The reversibility of certain rheumatic and non-rheumatic conditions by the use of cortisone or of the pituitary adrenocorticotrophic hormone. In: Nobel lectures, physiology or medicine; 1942-1962. pp 312-341. Amsterdam: Elsevier Publishing Company.
24. del Rincon I, O'Leary DH, Haas RW, Escalante A. Effect of glucocorticoids on the arteries in rheumatoid arthritis. *Arthritis Rheum.* 2004 Dec;50(12):3813-22
25. Gubba EM, Netherton CM, Herbert J. Endangerment of the brain by glucocorticoids: experimental and clinical evidence. *J Neurocytol.* 2000 May-Jun;29(5-6):439-49.
26. Sholter DE, Armstrong PW. Adverse effects of corticosteroids on the cardiovascular system. *Can J Cardiol.* 2000 Apr;16(4):505-11
27. Allen DB. Growth suppression by glucocorticoid therapy. *Endocrinol Metab Clin North Am.* 1996 Sep;25(3):699-717
28. da Silva JA, Jacobs JW, Kirwan JR, Boers M, Saag KG, Ines LB, de Koning EJ, Buttigereit F, Cutolo M, Capell H, Rau R, Bijlsma JW. Safety of low-dose glucocorticoid treatment in rheumatoid arthritis: published evidence and prospective trial data. *Ann Rheum Dis.* 2006 Mar;65(3):285-93
29. Strand V, Simon LS. Low dose glucocorticoids in early rheumatoid arthritis. *Clin Exp Rheumatol.* 2003 Sep-Oct;21(5 Suppl 31):S186-90

30. McConnell EM, Bell PM, Hadden DR, McCance DR, Sheridan B, Atkinson AB. Prevalence of diabetes and impaired glucose tolerance in adult hypopituitarism on low dose oral hydrocortisone replacement therapy. *Clin Endocrinol (Oxf)*. 2001 May;54(5):593-9.
31. Haugeberg G, Strand A, Kvien TK, Kirwan JR. Reduced Loss of Hand Bone Density With Prednisolone in Early Rheumatoid Arthritis. Results From a Randomized Placebo-Controlled Trial. *Arch Intern Med*. 2005;165:1293-7.
32. Williamson DR, Lapointe M. The hypothalamic-pituitary-adrenal axis and low-dose glucocorticoids in the treatment of septic shock. *Pharmacotherapy*. 2003 Apr;23(4):514-25.
33. Minneci PC, Deans KJ, Banks SM, Eichacker PQ, Natanson C. Meta-analysis: the effect of steroids on survival and shock during sepsis depends on the dose. *Ann Intern Med*. 2004 Jul 6;141(1):47-56. ("The efficacy of steroids on septic shock: depends on the lower dose: benefit at low doses and increasing harm at higher doses and longer courses")
34. Arlt W, Callies F, van Vlijmen JC, Koehler I, Reincke M, Bidlingmaier M, Huebler D, Oettel M, Ernst M, Schulte HM, Allolio B. Dehydroepiandrosterone replacement in women with adrenal insufficiency. *N Engl J Med*. 1999 Sep 30;341(14):1013-20.
35. Sanchez-Guerrero J, Fragoso-Loyo HE, Neuwelt CM, et al. Effects of prasterone on bone mineral density in women with active systemic lupus erythematosus receiving chronic glucocorticoid therapy. *J Rheumatology*. 2008 Aug;35(8):1567-75.
36. Callies F, Fassnacht M, van Vlijmen JC, et al. Dehydroepiandrosterone replacement in women with adrenal insufficiency: effects on body composition, serum leptin, bone turnover, and exercise capacity. *J Clin Endocrinol Metab*. 2001 May;86(5):1968-72.
37. Meno-Tetang GM, Hon YY, Jusko WJ. Synergistic interaction between dehydroepiandrosterone and prednisolone in the inhibition of rat lymphocyte proliferation. *Immunopharmacol Immunotoxicol*. 1996 Aug;18(3):443-56. (DHEA acts synergistically with prednisone on certain inflammatory processes)
38. Gebre-Medhin G, Husebye ES, Mallmin H, et al. Oral dehydroepiandrosterone (DHEA) replacement therapy in women with Addison's disease. *Clin Endocrinol (Oxf)*. 2000 Jun;52(6):775-80.
39. Hunt PJ, Gurnell EM, Huppert FA, Richards C, Prevost AT, Wass JA, Herbert J, Chatterjee VK. Improvement in mood and fatigue after dehydroepiandrosterone replacement in Addison's disease in a randomized, double blind trial. *J Clin Endocrinol Metab*. 2000 Dec;85(12):4650-6.
40. Matsuo T, Nozaki T, Okamura K, Matsumoto K, Doi T, Gohtani S, Suzuki M. Effects of voluntary resistance exercise and high-protein snack on bone mass, composition, and strength in rats given glucocorticoid injections. *Biosci Biotechnol Biochem*. 2003 Dec;67(12):2518-23. PubMed PMID: 14730128.
41. Knepper MA, Danielson RA, Saidel GM, Johnston KH. Effects of dietary protein restriction and glucocorticoid administration on urea excretion in rats. *Kidney Int*. 1975 Nov;8(5):303-15.
42. Le Jeunne C, Aslangul E. Prolonged corticosteroid therapy and diet. *Rev Med Interne*. 2013 May;34(5):284-6.
43. Uebelhart B, Rizzoli R. Prevention and treatment of corticosteroid-induced osteoporosis. *Rev Med Suisse Romande*. 2000 Oct;120(10):787-91.
44. Nicastro H, Gualano B, de Moraes WM, de Salles Painelli V, da Luz CR, dos Santos Costa A, de Salvi Guimarães F, Medeiros A, Brum PC, Lancha AH Jr. Effects of creatine supplementation on muscle wasting and glucose homeostasis in rats treated with dexamethasone. *Amino Acids*. 2012 May;42(5):1695-701.
45. Menezes LG, Sobreira C, Neder L, Rodrigues-Júnior AL, Martinez JA. Creatine supplementation attenuates corticosteroid-induced muscle wasting and impairment of exercise performance in rats. *J Appl Physiol* (1985). 2007 Feb;102(2):698-703.
46. Tops M, van Peer JM, Wijers AA, Korf J. Acute cortisol administration reduces subjective fatigue in healthy women. *Psychophysiology*. 2006 Nov;43(6):653-6.
47. Whitcomb JE, Findling JW, Raff H, Harnsher K. Randomized trial of oral hydrocortisone and its effect on emergency physicians during night duty. *WMJ*. 2000 Oct;99(7):37-41.
48. Bruera E, Roca E, Cedaro L, Carraro S, Chacon R. Action of oral methylprednisolone in terminal cancer patients: a prospective randomized double-blind study. *Cancer Treat Rep*. 1985 Jul-Aug;69(7-8):751-4.
49. Riedel M, Wiese A, Schurmeyer TH, Brabant G. Quality of life in patients with Addison's disease: effects of different cortisol replacement modes. *Exp Clin Endocrinol*. 1993;101(2):106-11.
50. Rubin GJ, Hotopf M. Systematic review and meta-analysis of interventions for postoperative fatigue. *Br J Surg*. 2002 Aug;89(8):971-84.
51. Chrousos, Pavlaki AN, Magiakou MA. Glucocorticoid Therapy and Adrenal Suppression. 2011 Jan 11. In: De Groot LJ, Chrousos G, Dungan K, Feingold KR, Grossman A, Hershman JM, Koch C, Korbonits M, McLachlan R, New M, Purnell J, Rebar R, Singer F, Vinik A, editors. *Endotext [Internet]*. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from <http://www.ncbi.nlm.nih.gov/books/NBK279156/>
52. Biron D, Dauphin C, Di Paolo T. Effects of adrenalectomy and glucocorticoid on rat brain dopamine receptors. *Neuroendocrinology*. 1992 Apr;55(4): 468-476.
53. Wong KS, Williamson PM, Brown MA, Zammit VC, Denton DA, Whitworth JA. Effects of cortisol on blood pressure and salt preference in normal humans. *Clin Exp Pharmacol Physiol*. 1993 Feb;20(2):121-642.
54. Djurhuus CB, Gravholt CH, Nielsen S, Mengel A, Christiansen JS, Schmitz OE, Møller N. Effects of cortisol on lipolysis and regional interstitial glycerol levels in humans. *Am J Physiol Endocrinol Metab*. 2002 Jul;283(1):E172-7.
55. Manopoulos KN, O'Reilly MW, Bujalska IJ, Tomlinson JW, Arlt W. Acute hypercortisolism exerts depot-specific effects on abdominal and femoral adipose tissue function. *J Clin Endocrinol Metabol*. 2 Apr;1; 102(4):1091-1101017
56. Schwartz S, Dluhy RG. Corticosteroids: clinical pharmacology and therapeutic use. *Curr Ther*. 1978, 19: 145-70
57. Ehrlich HP, Tarver H, Hunt TK. Effect of vitamin A and glucocorticoids upon inflammation and collagen synthesis. *Ann Surg*. 1973, 177 (2): 222-227
58. Shuto M, Higuchi K, Sugiyama C, Yoneyama M, Kuramoto N, Nagashima R, Kawada K, Ogita K. Endogenous and exogenous glucocorticoids prevent trimethyltin from causing neuronal degeneration of the mouse brain in vivo: involvement of oxidative stress pathways. *J Pharmacol Sci*. 2009 Aug;110(4):424-36
59. Gavan N, Maibach H. Effect of topical corticosteroids on the activity of superoxide dismutase in human skin in vitro. *Skin Pharmacol*. 1997;10(5-6):309-13
60. Dandona P, Thusu K, Hafeez R, Abdel-Rahman E, Chaudhuri A. Effect of hydrocortisone on oxygen free radical generation by mononuclear cells. *Metabolism*. 1998 Jul;47(7):788-91

61. Loughlin KR. John F. Kennedy and his adrenal disease. *Urology*. 2002 Jan; 59 (1): 165-9
62. Shirtcliff EA, Granger DA, Booth A, Johnson D. Low salivary cortisol levels and externalizing behavior problems in youth. *Dev Psychopathol*. 2005 Winter;17(1):167-84
63. Nater UM, Maloney E, Boneva RS, Gurbaxani BM, Lin JM, Jones JF, Reeves WC, Heim C. Attenuated morning salivary cortisol concentrations in a population-based study of persons with chronic fatigue syndrome and well controls. *J Clin Endocrinol Metab*. 2008 Mar;93(3):703-9
64. Dahlgren A, Kecklund G, Theorell T, Akerstedt T. Day-to-day variation in saliva cortisol--relation with sleep, stress and self-rated health. *Biol Psychol*. 2009 Oct;82(2):149-55
65. Riedel M, Wiese A, Schurmeyer TH, Brabant G. Quality of life in patients with Addison's disease: effects of different cortisol replacement modes. *Exp Clin Endocrinol*. 1993;101(2):106-11
66. Sokol AF. Evaluation of clinical symptoms of Addison's disease. *Probl Endokrinol (Mosk)*. 1985 Jul-Aug;31(4):20-2
67. Papanicolaou DA, Tsigas C, Oldfield EH, Chrousos GP. Acute glucocorticoid deficiency is associated with plasma elevations of interleukin-6: does the latter participate in the symptomatology of the steroid withdrawal syndrome and adrenal insufficiency? *J Clin Endocrinol Metab*. 1996 Jun;81(6):2303-6
68. Burk CJ, Ciocca G, Heath CR, Duarte A, Dohil M, Connelly EA. Addison's disease, diffuse skin, and mucosal hyperpigmentation with subtle "flu-like" symptoms--a report of two cases. *Pediatr Dermatol*. 2008 Mar-Apr;25(2):215-8.
69. Nieman LK, Chancho Turner ML. Addison's disease. *Clin Dermatol*. 2006 Jul-Aug;24(4):276-80
70. Stoppelbein L, Greening L, Fite PJ. Brief Report: Role of Cortisol in Posttraumatic Stress Symptoms among Mothers of Children Diagnosed with Cancer. *J Pediatr Psychol*. 2010 Oct;35(9):960-5
71. Brooks KP, Robles TF. Recent depressive and anxious symptoms predict cortisol responses to stress in men. *Psychoneuroendocrinology*. 2009 Aug;34(7):1041-9
72. Van den Bergh BR, Van Calster B, Pinna Puissant S, Van Huffel S. Self-reported symptoms of depressed mood, trait anxiety and aggressive behaviour in post-pubertal adolescents: Associations with diurnal cortisol profiles. *Horm Behav*. 2008 Aug;54(2):253-7
73. Petrelluzzi KF, Garcia MC, Petta CA, Grassi-Kassis DM, Spadari-Bratfisch RC. Salivary cortisol concentrations, stress and quality of life in women with endometriosis and chronic pelvic pain. *Stress*. 2008;11(5):390-7
74. Tiemensma J, Andela CD, Kaptein AA, Romijn JA, van der Mast RC, Biermasz NR, Pereira AM. Psychological morbidity and impaired quality of life in patients with stable treatment for primary adrenal insufficiency: cross-sectional study and review of the literature. *Eur J Endocrinol*. 2014 Aug;171(2):171-82
75. Anglin RE, Rosebush PI, Mazurek MF. The neuropsychiatric profile of Addison's disease: revisiting a forgotten phenomenon. *J Neuropsychiatry Clin Neurosci*. 2006 Fall;18(4):450-9 <http://neuro.psychiatryonline.org>
76. Orth DN, Kovacs WJ. Chapter 12: The adrenal cortex. Major manifestations in patients with primary adrenal insufficiency, Williams Textbook of Endocrinology, 9<sup>th</sup> edition, Wilson, Foster, Kronenberg & Larsen editors, WB Saunders Company, 1999: p. 552.
77. Smith CM. Paranoid behaviour in Addison's disease; report of a case. *Can Psychiatr Assoc J*. 1958 Jul;3(3):145-54
78. Wiegand C, Soyka M. Paranoid hallucinatory psychosis in Addison disease. *Nervenarzt*. 1990 May;61(5):312-4
79. Mattson B. Addison's disease and psychosis. *Acta Psychiatr Scand Suppl*.1974;255:203-10
80. Rocco A, Martoccchia A, Frugoni P, Baldini R, Sani G, Di Simone Di Giuseppe B, Vairano A, Girardi P, Monaco E, Tatarelli R, Falaschi P. Inverse correlation between morning plasma cortisol levels and MMPI psychasthenia and depression scale scores in victims of mobbing with adjustment disorders. *Neuro Endocrinol Lett*. 2007 Oct;28(5):610-3
81. Ehlert U, Nater UM, Böhmelt A. High and low unstimulated salivary cortisol levels correspond to different symptoms of functional gastrointestinal disorders. *J Psychosom Res*. 2005 Jul;59(1):7-10
82. Soule S. Addison's disease in Africa--a teaching hospital experience. *Clin Endocrinol (Oxf)*. 1999 Jan;50(1):115-20
83. Dore MX, de La Blanchardiere A, Lesprit P, David F, Beressi JP, Fiet J, Sicard D, Decazes JM. [Peripheral adrenal insufficiency in AIDS. *Rev Med Interne*. 1998 Jan;19(1):23-8
84. Shapiro MS, Trebich C, Shilo L, Shenkman L. Myalgias and muscle contractures as the presenting signs of Addison's disease. *Postgrad Med J*. 1988 Mar;64(749):222-3
85. Orth DN, Kovacs WJ. Chapter 12: The adrenal cortex. Major manifestations in patients with primary adrenal insufficiency, Williams Textbook of Endocrinology, 9<sup>th</sup> edition, Wilson, Foster, Kronenberg & Larsen editors, WB Saunders Company, 1999: p. 549-50.
86. Hedman M, Nilsson E, de la Torre B. Low blood and synovial fluid levels of sulpho-conjugated steroids in rheumatoid arthritis. *Clin Exp Rheumatol*. 1992 Jan-Feb;10(1):25-30
87. Bilginer Y, Topaloglu R, Alikasifoglu A, Kara N, Besbas N, Ozen S, Bakkaloglu A. Low cortisol levels in active juvenile idiopathic arthritis. *Clin Rheumatol*. 2010 Mar;29(3):309-14
88. Syriou V, Moisidis A, Tamouridis N, Alexandraki KI, Anapliotou M. Isolated adrenocorticotropin deficiency and flexion contractures syndrome. *Hormones (Athens)*. 2008 Oct-Dec;7(4):320-4
89. Kinoshita H, Mizutani S, Sei K, Shimizu M, Yasuad M, et al. Musculoskeletal symptoms and neurological investigations in adrenocortical insufficiency: a case report and literature review. *J Musculoskeletal Neuronal Interact*. 2010 Dec;10(4):281-5
90. Jefferies WM, Turner JC, Lobo M, Gwaltney JM Jr. Low plasma levels of adrenocorticotrophic hormone in patients with acute influenza. *Clin Infect Dis*. 1998 Mar;26(3):708-10.
91. Jefferies WM. Safe uses of cortisol, 3<sup>rd</sup> Edition, Charles C Thomas Publishers, Springfield, Illinois: 2004; p. 136-7
92. Orth DN, Kovacs WJ. Chapter 12: The adrenal cortex. Major manifestations in patients with primary adrenal insufficiency, p. 550. Williams Textbook of Endocrinology, 9<sup>th</sup> edition, Wilson, Foster, Kronenberg & Larsen editors, WB Saunders Company, 1999
93. Werbel SS, Ober KP. Acute adrenal insufficiency. *Endocrinol Metab Clin North Am*. 1993 Jun;22(2):303-28
94. Berezhkov LF, Riazanova LL. Glucocorticoid and androgenic function of the adrenal glands in prepubertal children with average physical development, obesity and body weight deficiency. *Vopr Okhr Materin Det*. 1969 Dec;14(12):13-9
95. Syriou V, Moisidis A, Tamouridis N, Alexandraki KI, Anapliotou M. Isolated adrenocorticotropin deficiency and flexion contractures syndrome. *Hormones (Athens)*. 2008 Oct-Dec;7(4):320-4

96. Kamijo K, Kato T, Saito A, Kawasaki K, Suzuki M, Yachi A. A case with isolated ACTH deficiency accompanying chronic thyroiditis. *Endocrinol Jpn.* 1982 Apr;29(2):183-9
97. Mor F, Green P, Wysenbeek AJ. Myopathy in Addison's disease. *Ann Rheum Dis.* 1987 Jan;46(1):81-3 ("Addison's disease ... common signs and symptoms include: .. hypotension ...")
98. Syriou V, Moisidis A, Tamouridis N, Alexandraki KI, Anapliotou M. Isolated adrenocorticotropin deficiency and flexion contractures syndrome. *Hormones (Athens).* 2008 Oct-Dec;7(4):320-4
99. Haeck IM, Timmer-de Mik L, Lentjes EG, Buskens E, Hijnen DJ, Guikers C, Bruijnzeel-Koomen CA, de Bruin-Weller MS. Low basal serum cortisol in patients with severe atopic dermatitis: potent topical corticosteroids wrongfully accused. *Br J Dermatol.* 2007 May;156(5):979-85
100. Buske-Kirschbaum A, Jobst S, Wustmans A, Kirschbaum C, Rauh W, Hellhammer D. Attenuated free cortisol response to psychosocial stress in children with atopic dermatitis. *Psychosom Med.* 1997 Jul-Aug;59(4):419-26. PubMed PMID: 9251162.
101. Hedman M, Nilsson E, de la Torre B. Low blood and synovial fluid levels of sulpho-conjugated steroids in rheumatoid arthritis. *Clin Exp Rheumatol.* 1992 Jan-Feb;10(1):25-30
102. Bilginer Y, Topaloglu R, Alikasifoglu A, Kara N, Besbas N, Ozen S, Bakkaloglu A. Low cortisol levels in active juvenile idiopathic arthritis. *Clin Rheumatol.* 2010 Mar;29(3):309-14
103. Atzeni F, Sarzi-Puttini P, DePortu S, Cutolo M, Carrabba M, Straub RH. In etanercept-treated psoriatic arthritis patients clinical improvement correlated with an increase of serum cortisol relative to other adrenal hormones. *Clin Exp Rheumatol.* 2008 Jan-Feb;26(1):103-8
104. Hedman M, Nilsson E, de la Torre B. Low blood and synovial fluid levels of sulpho-conjugated steroids in rheumatoid arthritis. *Clin Exp Rheumatol.* 1992 Jan-Feb;10(1):25-30
105. Bilginer Y, Topaloglu R, Alikasifoglu A, Kara N, Besbas N, Ozen S, Bakkaloglu A. Low cortisol levels in active juvenile idiopathic arthritis. *Clin Rheumatol.* 2010 Mar;29(3):309-14
106. Feher KG, Bencze G, Ujfalussy J, Feher T. Serum steroid hormone levels in systemic lupus erythematosus. *Acta Med Hung.* 1987;44(4):321-7
107. Muszynska-Roslan K, Konstantynowicz J, Panasiuk A, Krawczuk-Rybak M. Is the treatment for childhood solid tumors associated with lower bone mass than that for leukemia and Hodgkin disease? *Pediatr Hematol Oncol.* 2009 Jan;26(1):36-47.
108. Felder-Puig R, Scherzer C, Baumgartner M, Ortner M, Aschenbrenner C, Bieglmayer C, Voigtlander T, Panzer-Grümayer ER, Tissing WJ, Koper JW, Steinberger K, Nasel C, Gadner H, Topf R, Dworzak M. Glucocorticoids in the treatment of children with acute lymphoblastic leukemia and hodgkin's disease: a pilot study on the adverse psychological reactions and possible associations with neurobiological, endocrine, and genetic markers. *Clin Cancer Res.* 2007 Dec;13(23):7093-100.
109. Zheng C, Liu X, Wu J, Cai X, Zhu W, Sun Z. Which steroids should we choose for the treatment of adult acute lymphoblastic leukemia? *Am J Hematol.* 2010 Oct;85(10):817-8.
110. Lambert WE, De Slypere JP, Jonckheere JA, Vermeulen A, De Leenheer AP. Improved liquid chromatographic determination of serum cortisol with double internal standardization compared to radioimmunoassay and fluorometry, and evaluated by isotope dilution/mass spectrometry. *Anal Biochem.* 1983 Oct 1;134(1):216-23
111. Fernandez-Real JM, Pugeat M, Lopez-Bermejo A, Bornet H, Ricart W. Corticosteroid-binding globulin affects the relationship between circulating adiponectin and cortisol in men and women. *Metabolism.* 2005 May;54(5):584-9.
112. Hertoghe T, Naett M, Gerin G, Lhermitte MC, Poutet B, Schneider N, Bigeard G. Inverse association of signs and symptoms of cortisol deficiency and serum free cortisol levels. Preliminary study, Communication of 17 Oct. 2017
113. Kukreja SC, Williams GA. Corticotrophin stimulation test: inverse correlation between basal serum cortisol and its response to corticotrophin. *Acta Endocrinol (Copenh).* 1981 Aug;97(4):522-4
114. Piedrola G, Casado JL, Lopez E, Moreno A, Perez-Elias MJ, Garcia-Robles R. Clinical features of adrenal insufficiency in patients with acquired immunodeficiency syndrome. *Clin Endocrinol (Oxf)* 1996 Jul;45(1):97-101
115. Marik PE, Kiminyo K, Zaloga GP. Adrenal insufficiency in critically ill patients with human immunodeficiency virus. *Crit Care Med.* 2002 Jun;30(6):1267-73
116. Smans L, Lentjes E, Hermus A, Zelissen P. Salivary cortisol day curves in assessing glucocorticoid replacement therapy in Addison's disease. *Hormones (Athens).* 2013 Jan-Mar;12(1):93-100.
117. Lu YR, Kuang AK, Chen JL, Xu MY, Ding T. Radioimmunoassay of salivary cortisol and its clinical applications. *Chin Med J (Engl).* 1988 Oct;101(10):703-9.
118. Nakamura I, Yakata M. Age- and sex-related differences in urinary cortisol levels. *Clin Chim Acta.* 1984;137:77-80
119. Burch WM. Urine free-cortisol determination: a useful tool in the management of chronic hypoadrenal states. *JAMA.* 1982;247:2002-4
120. Mengden T, Hubmann P, Müller J, Greminger P, Vetter W. Urinary free cortisol versus 17-hydroxycorticosteroids: a comparative study of their diagnostic value in Cushing's syndrome. *Clin Investig.* 1992 Jul;70(7):545-8
121. Kobberling J, Von ZUT Mu1hen A. The circadian rhythm of free cortisol determined by urine sampling at two-hour intervals in normal subjects and in patients with severe obesity or Cushing's syndrome. *J Clin Endocrinol Metab.* 1974;38:313-19
122. Jaselius RE, Kenny FM. Urinary free cortisol excretion during growth and aging: Correlation with cortisol production rate and 17-hydroxycorticosteroid excretion. *Metabolism.* 1974;23:847-52
123. Bailey E, West HF. The secretion, interconversion and catabolism of cortisol, cortisone and some of the metabolites in man. *Acta endocrinol.* 1969;62:339-59
124. Burke CW, Beardwell CG: Cushing's syndrome. An evaluation of the clinical usefulness of urinary free cortisol and other urinary steroid measurements in diagnosis. *Q J Med.* 1973; 42:175-204
125. Barton RN, Horan MA, Weijers JW, Sakkee AN, Roberts NA, van Bezooijen CF. Cortisol production rate and the urinary excretion of 17-hydroxycorticosteroids, free cortisol, and 6 beta-hydroxycortisol in healthy elderly men and women. *J Gerontol.* 1993 Sep;48(5):M213-8.
126. Krystev I. Use of chromatographic fractionation of urinary 17-hydroxycorticosteroids for choosing the cortisone acetate dose in treating patients with primary chronic adrenal cortical failure]. *Probl Endokrinol (Mosk).* 1986 Jul-Aug;32(4):30-1.
127. Simon M, Babich-Armstrong M. 17-Hydroxycorticosteroids in urine. *Clin Chim Acta.* 1980 Apr 11;103(1):101-8. PubMed PMID: 7389110.

128. MaEly RS, Done AK, Ainger LE, Seely JR, Done AK, Kelley VC. Studies of 17-hydroxycorticosteroids. X. Urinary excretion of 17-hydroxycorticosteroids in patients with rheumatic fever. *J Clin Endocrinol Metab*. 1955;523-37
129. [https://en.wikipedia.org/wiki/Reference\\_range](https://en.wikipedia.org/wiki/Reference_range)
130. Chen GH, Xia L, Wang F, Li XW, Jiao CA. Patients with chronic insomnia have selective impairments in memory that are modulated by cortisol. *Psychophysiology*. 2016 Oct;53(10):1567-76
131. Song HT, Sun XY, Yang TS, Zhang LY, Yang JL, Bai J. Effects of sleep deprivation on serum cortisol level and mental health in servicemen. *Int J Psychophysiol*. 2015 Jun;96(3):169-75.
132. Güder G, Hammer F, Deutschbein T, Brenner S, Berliner D, Deubner N, Bidlingmaier M, Ertl G, Allolio B, Angermann CE, Fassnacht M, Störk S. Prognostic value of aldosterone and cortisol in patients hospitalized for acutely decompensated chronic heart failure with and without mineralocorticoid receptor antagonism. *J Card Fail*. 2015 Mar;21(3):208-16
133. De Kleijn ED, Joosten KF, Van Rijn B, Westerterp M, De Groot R, Hokken-Koelega AC, Hazelzet JA. Low serum cortisol in combination with high adrenocorticotrophic hormone concentrations are associated with poor outcome in children with severe meningococcal disease. *Pediatr Infect Dis J*. 2002 Apr;21(4):330-6
134. Chapotot F, Gronfier C, Jouy C, Muzet A, Brandenberger G. Cortisol secretion is related to electroencephalographic alertness in human subjects during daytime wakefulness. *J Clin Endocrinol Metab*. 1998 Dec;83(12):4263-8
135. Rocco A, Martoccia A, Frugoni P, Baldini R, Sani G, Di Simone Di Giuseppe B, Vairano A, Girardi P, Monaco E, Tatarelli R, Falaschi P. Inverse correlation between morning plasma cortisol levels and MMPI psychasthenia and depression scale scores in victims of mobbing with adjustment disorders. *Neuro Endocrinol Lett*. 2007 Oct;28(5):610-3 (The serum cortisol was significantly and negatively related to psychasthenia and depression)
136. LeBlanc J, Ducharme MB. Influence of personality traits on plasma levels of cortisol and cholesterol. *Physiol Behav*. 2005 Apr 13;84(5):677-80. (Extraversion was positively correlated to plasma levels of cortisol and cholesterol while the correlation was negative for neuroticism)
137. Holi M, Auvinen-Lintunen L, Lindberg N, Tani P, Virkkunen M. Inverse correlation between severity of psychopathic traits and serum cortisol levels in young adult violent male offenders. *Psychopathology*. 2006;39(2):102-4.
138. Nakayama Y, Takahashi T, Radford MH. Cortisol levels and prospective and retrospective memory in humans. *Neuro Endocrinol Lett*. 2005 Oct;26(5):599-602 (Significant positive association between salivary cortisol levels and retrospective memory performance for neutral words)
139. Abercrombie HC, Speck NS, Monticelli RM. Endogenous cortisol elevations are related to memory facilitation only in individuals who are emotionally aroused. *Psychoneuroendocrinology*. 2006 Feb;31(2):187-96
140. Preuss D, Schoofs D, Wolf OT. Associations between endogenous cortisol levels and emotional memory in young women: influence of encoding instructions. *Stress*. 2009;12(5):379-87.
141. Laske C, Stransky E, Fritzsche A, Eschweiler GW, Leyhe T. Inverse association of cortisol serum levels with T-tau, P-tau 181 and P-tau 231 peptide levels and T-tau/Abeta 1-42 ratios in CSF in patients with mild Alzheimer's disease dementia. *Eur Arch Psychiatry Clin Neurosci*. 2009 Mar;259(2):80-5 (
142. Bilikiewicz A, Bidzan L. [Dependence on serum cortisol level or the severity of intellectual impairment in primary degenerative dementias] *Psychiatr Pol*. 1990 Jan-Feb;24(1):2-7
143. Kobori Y, Koh E, Sugimoto K, Izumi K, Narimoto K, Maeda Y, Konaka H, Mizokami A, Matsushita T, Iwamoto T, Namiki M. The relationship of serum and salivary cortisol levels to male sexual dysfunction as measured by the International Index of Erectile Function. *Int J Impot Res*. 2009 Jul-Aug;21(4):207-12
144. Stolk RP, Lamberts SW, de Jong FH, Pols HA, Grobbee DE. Gender differences in the associations between cortisol and insulin in healthy subjects. *J Endocrinol*. 1996 May;149(2):313-8
145. Reynolds RM, Walker BR, Haw S, Newby DE, Mackay DF, Cobbe SM, Pell AC, Fischbacher C, Pringle S, Murdoch D, Dunn F, Oldroyd K, Macintyre P, O'rourke B, Pell JP. Low serum cortisol predicts early death after acute myocardial infarction. *Crit Care Med*. 2010 Mar;38(3):973-5
146. Bremmer MA, Deeg DJ, Beekman AT, Penninx BW, Lips P, Hoogendoijk WJ. Major depression in late life is associated with both hypo- and hypercortisolemia. *Biol Psychiatry*. 2007 Sep 1;62(5):479-86
147. Bone M, Diver M, Selby A, Sharples A, Addison M, Clayton P. Assessment of adrenal function in the initial phase of meningococcal disease. *Pediatrics*. 2002 Sep;110(3):563-9
148. Menon K, Clarson C. Adrenal function in pediatric critical illness. *Pediatr Crit Care Med*. 2002;3:112-6
149. Pizarro CF, Troster EJ, Damiani D, Carcillo JA. Absolute and relative adrenal insufficiency in children with septic shock. *Crit Care Med*. 2005;33:855-9
150. Joosten KF, de Kleijn ED, Westerterp M, de Hoog M, Eijck FC, Hop WCJ, et al. Endocrine and metabolic responses in children with meningococcal sepsis: striking differences between survivors and nonsurvivors. *J Clin Endocrinol Metab*. 2000;85:3746-53
151. Chan WL, Carrell RW, Zhou A, Read RJ. How changes in affinity of corticosteroid-binding globulin modulate free cortisol concentration. *J Clin Endocrinol Metab*. 2013 Aug;98(8):3315-22.
152. Jung-Hoffmann C, Storch A, Kuhl H. Serum concentrations of ethinylestradiol,3-ket o-desogestrel, SHBG, CBG and gonadotropins during treatment with a biphasic oral contraceptive containing desogestrel. *Horm Res*. 1992;38(3-4):184-9.
153. Kawagoe S, Hiroi M. Effects of several estrogenic compounds on serum corticosteroid-binding globulin (CBG) and the estrogen thresholds for increasing CBG. *Nihon Naibunpi Gakkai Zasshi*. 1978 May 20;54(5):666-75.